4	
•	



L Number	Hits	Search Text	DB	Time stamp
-	81		USPAT;	2003/12/05 10:49
1		encrypt\$5 and decrypt\$9 and polariz\$8	US-PGPUB;	2003/12/03 10:49
i		71 (1 and possessed)	EPO; JPO;	
			DERWENT;	
Į			IBM TDB	
-	24	(@ad < "19981023") and (digital adj rights)	USPAT;	2003/12/04 11:00
		and encrypt\$5 and decrypt\$9	US-PGPUB;	,,
			EPO; JPO;	
	ļ		DERWENT;	·
			IBM TDB	
i -	76		USPAT;	2003/12/04 11:27
		management) or (intellectual adj property	US-PGPUB;	
1		adj management) or (copyright adj	EPO; JPO;	
1		management)) and encrypt\$5 and decrypt\$9	DERWENT;	
			IBM_TDB	
[-	0	(trace Trace Control (trace (trace trac	USPAT;	2003/12/04 11:05
		management) or (intellectual adj property	US-PGPUB;	
1		adj management) or (copyright adj	EPO; JPO;	
Į.		management)) and encrypt\$5 and decrypt\$9)	DERWENT;	
		and polariz\$9	IBM_TDB	
-	0		USPAT;	2003/12/04 11:05
		management) or (intellectual adj property	US-PGPUB;	
		adj management) or (copyright adj	EPO; JPO;	
		management)) and encrypt\$5 and decrypt\$9)	DERWENT;	
] _		and polariz\$9	IBM_TDB	
-	81	(@ad < "19981023") and ((rights adj	USPAT;	2003/12/04 11:06
		management) or (intellectual adj property	US-PGPUB;	
		adj management) or (copyright adj management	EPO; JPO;	
		or digital)) and encrypt\$5 and decrypt\$9 and polariz\$6	DERWENT;	
l _	_	[[[]] [] [] [] [] [] [] [] [IBM_TDB	
-]	(@ad < "19981023") and (encrypt\$6 adj presentation adj data)	USPAT;	2003/12/04 11:17
		presentation adj data)	US-PGPUB;	
			EPO; JPO;	
]			DERWENT; IBM TDB	
1 -	20	(@ad < "19981023") and polariz\$9 and	USPAT;	2003/12/04 11:21
		encrypt\$ and decrypt\$8 and render\$9	US-PGPUB;	2003/12/04 11:21
			EPO; JPO;	,
			DERWENT;	
1	·		IBM TDB	
-	5	(@ad < "19981023") and (encrypt\$7 adj	USPAT;	2003/12/04 13:56
Į l		presentation adj data)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	380/24.ccls. and digital and encrypt\$ and	USPĀT;	2003/12/04 12:07
		decrypt\$6 and rights	US-PGPUB;	
,			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	380/24.ccls.	USPAT;	2003/12/04 12:07
		·	US-PGPUB;	
			EPO; JPO;	}
}			DERWENT;	
	0	[[] [] [] [] [] [] [] [] [] [IBM_TDB	
	"	(@ad < "19981023") and (digital adj right\$1) and (clear adj data)	USPĀT;	2003/12/04 12:10
]		www (crear auj uata)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	29	(@ad < "19981023") and (digital adj right\$1)	IBM_TDB USPAT;	2002/12/04 12:55
		and clear	US-PGPUB;	2003/12/04 12:16
			EPO; JPO;	
			DERWENT;	
]			IBM TDB	
] -	21	(@ad < "19981023") and (digital adj right\$1)	USPAT;	2003/12/04 12:16
		and render\$7	US-PGPUB;	2003/12/04 12:16
[]			EPO; JPO;	
			DERWENT;	
			IBM TDB	
				<u> </u>

- '	18	(@ad < "19981023") and (digital adj right\$1) and render\$7 and encrypt\$6 and decrypt\$5	USPAT; US-PGPUB;	2003/12/04 12:54
			EPO; JPO; DERWENT; IBM TDB	
-	1	(@ad < "19981023") and (decrypt\$8 same (presentation adj data))	USPAT; US-PGPUB;	2003/12/04 12:57
			EPO; JPO; DERWENT;	
-	10	Town	IBM_TDB USPAT;	2003/12/04 13:04
		(presentation adj data))	US-PGPUB; EPO; JPO; DERWENT;	
-	276	(@ad < "19981023") and (render\$8 near9 encrypt\$6)	IBM_TDB USPAT;	2003/12/04 13:30
		cherypeso	US-PGPUB; EPO; JPO; DERWENT;	
-	21	((@ad < "19981023") and (render\$8 near9 encrypt\$6)) and 380/28.ccls.	IBM_TDB USPAT;	2003/12/04 13:31
		enerypt30// and 300/20.ccis.	US-PGPUB; EPO; JPO; DERWENT;	
-	0	(@ad < "19981023") and (digital adj right\$1) and ((token-based) or (token adj based)) and	IBM_TDB USPAT; US-PGPUB;	2003/12/04 13:59
		coordnate and encrypt\$5 and decrypt\$7 and character\$1 and graph\$1	EPO; JPO; DERWENT;	
-	0	(@ad < "19981023") and (digital adj right\$1) and ((token-based) or (token adj based)) and	IBM_TDB USPAT; US-PGPUB;	2003/12/04 13:59
		coordnate and encrypt\$5 and decrypt\$7 and image\$1	EPO; JPO; DERWENT;	
-	o .	(@ad < "19981023") and (digital adj right\$1) and token and coordnate and encrypt\$5 and decrypt\$7 and image\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 13:59
-	o	(@ad < "19981023") and digital and token and	DERWENT; IBM_TDB USPAT;	2002/12/04 14 00
		coordnate and encrypt\$5 and decrypt\$7 and image\$1	US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 14:00
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and	IBM_TDB USPAT;	2003/12/04 14:01
		decrypt\$7 and image\$1	US-PGPUB; EPO; JPO; DERWENT;	
-	0	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and	IBM_TDB USPAT; US-PGPUB;	2003/12/04 14:01
		decrypt\$7 and image\$1 and character\$1 and graph\$1	EPO; JPO; DERWENT; IBM TDB	ļ
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 14:02
		•	DERWENT; IBM_TDB	
	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1 and render\$7	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 14:28
	23	(@ad < #19991022#\ and (dining)	DERWENT; IBM_TDB	
	23	(@ad < "19981023") and (digital adj rights adj management\$1)	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 14:58
			DERWENT; IBM_TDB	

	1			
-	249	(@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)	USPAT; US-PGPUB;	2003/12/04 15:06
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	181	((@ad < "19981023") and (render\$7 same	USPAT;	2003/12/04 15:17
		encrypt\$7 same decrypt\$5)) and (character\$5	US-PGPUB;	
		or image\$3 or graph\$1)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	0	((@ad < "19981023") and (render\$7 same	USPAT;	2003/12/04 15:18
		encrypt\$7 same decrypt\$5)) and (rendering	US-PGPUB;	
		adj encrypted adj presentation adj data)	EPO; JPO;	1
			DERWENT;	
_		((@ad < "19981023") and (render\$7 same	IBM_TDB	
	•	encrypt\$7 same decrypt\$5)) and (render\$7 adj	USPAT;	2003/12/04 15:18
		encrypt\$7 adj presentation adj data)	US-PGPUB;	
		enerypery and presentation and data)	EPO; JPO;	l i
			DERWENT;	
-	2	((@ad < "19981023") and (render\$7 same	IBM_TDB USPAT;	2002/12/04 15:05
	_	encrypt\$7 same decrypt\$5)) and (render\$7 adj	US-PGPUB;	2003/12/04 15:26
	1	encrypt\$7 near9 (data or content))	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
-	123	((@ad < "19981023") and (render\$7 same	USPAT;	2003/12/04 15:32
	1	encrypt\$7 same decrypt\$5)) and (render\$7	US-PGPUB;	
		same encrypt\$7 near9 (data or content))	EPO; JPO;	
	l		DERWENT;	
i			IBM TDB	
-	53	I trans a social to the frequency of the	USPAT;	2003/12/04 15:34
	•	encrypt\$7 same decrypt\$5)) and (render\$7	US-PGPUB;	
		with encrypt\$7 near9 (data or content))	EPO; JPO;	ļ .
	1		DERWENT;	
l _	17	(100d + 11000100011) and (mandauth)	IBM_TDB	
	ļ - '	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7	USPAT;	2003/12/04 15:46
		with encrypt\$7 near9 (data or content)) and	US-PGPUB;	
		image\$1	EPO; JPO; DERWENT;	
l i			IBM TDB	
-	66	(@ad < "19981023") and (digital adj right\$1)	USPAT;	2003/12/04 15:50
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2003, 12, 04 13.30
			EPO; JPO;	
			DERWENT;	·
			IBM TDB	
	5		USPĀT;	2003/12/04 15:56
		presentation adj (data or content))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	,	(@ad = #10001022#\ amd /mand	IBM_TDB	
	3	(@ad < "19981023") and (rendering adj	USPAT;	2003/12/04 16:00
		encrypted adj (data or content))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	o	(@ad < "19981023") and (rendering near8	USPAT;	2003/12/04 16:00
		encrypted0 adj (data or content))	US-PGPUB;	2003/12/04 16:00
			EPO; JPO;	
			DERWENT;	
.			IBM TDB	
~	19	(@ad < "19981023") and (rendering near8	USPAT;	2003/12/04 16:03
		encrypted)	US-PGPUB;	
	·		EPO; JPO;	
	Ì	•	DERWENT;	
	254	(@nd + #10001020#) +	IBM_TDB	[]
	25 4	(@ad < "19981023") and (render\$5 near8	USPAT;	2003/12/04 16:01
		encrypt\$5)	US-PGPUB;	
]			EPO; JPO;	
		<u>.</u> .	DERWENT;	l
			IBM_TDB	

102 (@ad < "19981023") and (encrypt55 adj US-PATE					
Second S	-	102			2003/12/04 16:15
DERMENT; IBM TDB USPAT;			decrypt\$7)		
S				EPO; JPO;	j
Second				DERWENT;	
		İ		IBM TDB	
	-	5	(@ad < "19981023") and (encrypt\$5 adj	_	2003/12/04 16:15
Gad < "19981023") and (encrypt\$5 with presentation adj (data or content))		-	presentation adi (data or content))		
-					
- 9 (@ad < "19981023") and (encrypt§5 with presentation adj (data or content)) SPAT; US-PGPUB; PRO, JPO; DERWENT; and data and format USPAT; US-PGPUB; PRO, JPO; DERWENT; and data and format USPAT; US-PGPUB; PRO, JPO; DERWENT; ISPAT; U					1
-				1 7	
Presentation adj (data or content) US-PGUDE, Pro, JPO; JPO; JPO; JPO; DERRENT; IBM TDB USPAT; US-PGUDE, Pro, JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO;	1_	١	(@2d 4 #10081022#) and (anomytes with		((-)
- 34 (@ad < "19981023") and (digital adj right\$1) DERNENT; IBM TDB 2003/12/04 16:42 DERNENT; IBM TDB USPAT; US-PGUB; EPO; JPO; JPO; DERNENT; IBM TDB USPAT; USPAT	-		temm t		2003/12/04 16:24
-			presentation adj (data or content))		1
1					
Gad < "19981023") and (digital adj right\$1) USPĀT; USP					
and data and format US-pgPUB; EPO; JPO; DERWENT; IBM TDB US-APPUB; EPO; JPO; DERWENT; IBM TDB	ı	1			1
and data and format US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT;	-	34	(@ad < "19981023") and (digital adj right\$1)	USPAT;	2003/12/04 16:42
-		1	and data and format	US-PGPUB;	' '
-	1			EPO: JPO:	1
1	ļ			DERWENT:	· 1
1	1				1
encrypt\$5 and (digital adj rights)	-	1	(@ad < "19981023") and ((replay\$10 with	_	2003/12/05 11.00
-	1	_	encryptS5) and (digital add rights)		2003/12/05 11:00
1			charpets, and (digital adj lights),		l i
1	1		,		
-					
encrypt\$5) and (digital adj rights)) Color			/o-3 #40001000N		
103	-	1 -	(@ad < "19981023") and ((play\$10 with	USPAT;	2003/12/05 10:55
DERMENT;			encrypt\$5) and (digital adj rights))		
DERMENT;				EPO; JPO;	1
103					
103					
Description US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT	-	103	(@ad < "19981023") and (format adj		2003/12/05 10:58
EPO; JPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; IBM_TDB USPAT;		i	preserv\$6)		2003/12/03 10:30
DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-P		1		EDO. IDO.	
TBM TDB					•
Company Comp				DERWENT;	
preserv\$6) and digital	_	54	((@ad < #10001023#) and (former add		
Company Comp		J.	procomit() and distant		2003/12/05 10:55
DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			preservas) and digital		l
- 0					
- 0					
preserv\$6 and (digital adj rights)	1	1 .			
Preserv\$6 and (digital adj rights)	-	0	(@ad < "19981023") and (format adj	USPAT;	2003/12/05 10:57
- 0 (@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital adj (content or data)) - 8 (@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital) - 0 (@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital) - 0 (@ad < "19981023") and (encrypted adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)			preserv\$6) and (digital adj rights)	US-PGPUB;	
- 0 (@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital adj (content or data)) - 8 (@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital) - 0 (@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital) - 0 (@ad < "19981023") and (encrypted adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)				EPO; JPO;	
-	I			DERWENT:	
O	1				1
preserv\$6) and (encrypt\$5 adj digital adj (content or data))	-	0	(@ad < "19981023") and (format adi		2003/12/05 10:57
Content or data)	1		preserv\$6) and (encrypt\$5 add digital add		,,
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; adj preserv\$6) and (encrypt\$5 adj digital) 0 (@ad < "19981023") and (encrypted adj format adj preserv\$6) 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) 0 (@ad < "19981023") and (encrypt\$6 with EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	Ī		(content or data))		
8	1				
Company Comp		1			
preserv\$6) and (encrypt\$5 adj digital)	-	ا م	(@ad < "19981023") and (forms = 544	1] 2002 (20 (20 = = = =]
- 0 (@ad < "19981023") and (encrypted adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)		ľ	nregerics) and (anomates and distant	1	2003/12/05 10:57
- 0 (@ad < "19981023") and (encrypted adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)	1	'	breserasol and (encrybcse add didical)		
- 0 (@ad < "19981023") and (encrypted adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)	1]			
O (@ad < "19981023") and (encrypted adj format adj preserv\$6) O (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) O (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) O (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) O (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) O (@ad < "19981023") and (encrypt\$6 with EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1]
adj preserv\$6) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
adj preserv\$6) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	0	(@ad < "19981023") and (encrypted adj format		2003/12/05 10:58
- 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)	1		adj preserv\$6)	US-PGPUB;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		j			[
- 0 (@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6) - 0 (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) 1BM TDB		1 1			1
O (@ad < "19981023") and (encrypt\$6 adj format USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; format adj preserv\$6) O (@ad < "19981023") and (encrypt\$6 with format adj preserv\$6) USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1	1 1		1 7	
adj preserv\$6) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Format adj preserv\$6) US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT;] -	0	(@ad < "19981023") and (encrypt\$6 adi format	_	2003/12/05 10.50
EPO; JPO; DERWENT; IBM TDB (@ad < "19981023") and (encrypt\$6 with USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERW	1	1	adj preserv\$6)		
- 0 (@ad < "19981023") and (encrypt\$6 with USPAT; US-PGPUB; EPO; JPO; DERWENT;			• • · · · · · ·		[
- 0 (@ad < "19981023") and (encrypt\$6 with USPAT; US-PGPUB; EPO; JPO; DERWENT;					
0 (@ad < "19981023") and (encrypt\$6 with USPAT; 10:58 US-PGPUB; EPO; JPO; DERWENT;	1	1 !			
format adj preserv\$6) US-PGPUB; EPO; JPO; DERWENT;	l _		(@ad = #10001002#) and (
EPO; JPO; DERWENT;		"	format add managed and (encrypts6 with		2003/12/05 10:58
DERWENT;	1		Lormat adj preserv\$6)	US-PGPUB;	j
	1			EPO; JPO;	
				DERWENT;	
	L		 	IBM TDB	

		·		
-	2	(@ad < "19981023") and (encrypt\$6 same format adj preserv\$6)	USPAT; US-PGPUB;	2003/12/05 10:59
			EPO; JPO; DERWENT; IBM TDB	
-	1	(@ad < "19981023") and ((play\$10 with encrypt\$5) and (digital adj rights))	USPAT; US-PGPUB;	2003/12/05 11:00
		,	EPO; JPO; DERWENT; IBM TDB	
-	0	(@ad < "19981023") and ((tran\$5 adj clear) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 11:01
-	30	(@ad < "19981023") and ((clear or plain) and (digital adj rights))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/05 11:25
	7	(@ad < "19981023") and (digital adj rights)	DERWENT; IBM_TDB	
	·	and ((plain or clear) with save\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 11:36
-	0	(@ad < "19981023") and (encrypt\$5 same (preserve\$3 adj format\$10))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/05 11:37
-	2	(@ad < "19981023") and (encrypt\$5 same (preserve\$3 near4 format\$10))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/05 11:46
	و	(Ond a #10001023#) and (average)	DERWENT; IBM_TDB	
	,	(@ad < "19981023") and (encrypt\$6 with (presentation adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 11:54
-	277	(@ad < "19981023") and (render\$7 or play\$5 or replay\$5) with (encrypt\$5 with data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:43
_	438	(@ad < "19981023") and ((digital or copy\$9) adj rights) and token	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 09:31
-	0	(5867579.pn. or 6424715.pn. or 6192138.pn. or 6044157.pn. or 6006004.pn. or 5600721.pn.) and token	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 09:27
-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with token with encrypt\$9	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 10:09
-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) same token\$9 same encrypt\$9	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/08 09:28
-	6	(@ad < "19981023") and ((digital or copy\$9) with right\$5) same token\$9 same encrypt\$9	DERWENT; IBM_TDB USPAT;	2003/12/08 10:26
		11ghtq3/ Bame Coken\$9 Bame encrypt\$9	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with token	USPAT;	2003/12/08 09:31
		adj rights/ with token	US-PGPUB; EPO; JPO;]
			DERWENT;	<u> </u>
] -	1	(@ad < "19981023") and ((digital or copy\$9)	IBM_TDB USPAT;	2003/12/08 09:38
		adj rights) same token\$7	US-PGPUB;	2003/12/00 03.30
			EPO; JPO;	
			DERWENT; IBM TDB	
-	6	(@ad < "19981023") and token-based adj	USPĀT;	2003/12/08 09:38
		documentess	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	47	(@ad < "19981023") and ((digital or copy\$9)	IBM_TDB USPAT;	2003/12/08 10:05
		adj rights) and (identifier\$5 with token)	US-PGPUB;	2003/12/08 10:05
·			EPO; JPO;	·
			DERWENT; IBM TDB	
-	. 0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with (x with y with	USPAT;	2003/12/08 10:10
	1	coordinate\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	302	(@ad < "19981023") and ((digital or copy\$9)	IBM_TDB USPAT;	2003/12/08 10:11
		adj rights) and (x with y with coordinate\$1)	US-PGPUB;	2003/12/08 10:11
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	18	((@ad < "19981023") and ((digital or copy\$9) adj rights) and (x with y with	USPAT;	2003/12/08 10:12
		coordinate\$1)) and (715/\$.ccls. or	US-PGPUB; EPO; JPO;	
		380/\$.ccls.)	DERWENT;	
-	3	((@ad < "19981023") and ((digital or copy\$9)	IBM_TDB USPAT;	2003/12/08 10:22
		adj rights) and (x with y with coordinate\$1)) and (713/\$.ccls. or	US-PGPUB;	
		380/\$.ccls.)	EPO; JPO; DERWENT;	
_	489	(@ad - #19991022#) and (/at-ty-7	IBM_TDB	
	109	(@ad < "19981023") and ((digital or copy\$9) with right\$5) and (table with document)	USPAT; US-PGPUB;	2003/12/08 10:32
			EPO; JPO;	
			DERWENT; IBM TDB	
-	10	((@ad < "19981023") and ((digital or copy\$9)	USPĀT;	2003/12/08 10:28
		with right\$5) and (table with document)) and (713/\$.ccls. or 380/\$.ccls.)	US-PGPUB; EPO; JPO;	
,			DERWENT;	•
-	o	(@ad < "19981023") and ((digital or copy\$9)	IBM_TDB	7007/10/55 55 55
		with right\$5) and (document with token with	USPAT; US-PGPUB;	2003/12/08 10:33
		(x and y) with coordinate\$1)	EPO; JPO;	
	ļ		DERWENT;	
-	1	(@ad < "19981023") and ((digital or copy\$9)	USPĀT;	2003/12/08 11:52
		with right\$5) and (document same token same (x and y) same coordinate\$1)	US-PGPUB; EPO; JPO;	
		-	DERWENT;	
			IBM_TDB	